

Central Composting Toilet Systems

Are ideal for those that want a "regular" looking toilet in the bathroom, or who want to connect more than one toilet to the composting unit. Are normally placed under or outside the bathroom. Units are often installed up to 15-20ft. away from the bathroom. Capacity is up to 10 adults seasonally, 6 adults residentially

ELECTRICAL Models

Model # CENTREX1000 Home Depot \$1887

Seasonal capacity: 5 adults or families of 7. A one pint flush toilet is required for use with this unit (sold separately).

Model # CENTREX200080 Home Depot \$2169

Seasonal capacity: 7 adults or families of 9. Residential use: 4 adults or families of 6. A one pint flush toilet is required for use with this unit (sold separately).

Model # CENTREX3000 Home Depot \$2405

The Sun-Mar Centrex 3000 is an extra-high capacity unit designed for very heavy cottage use or heavy residential use. A one pint flush toilet is required for use with this unit (sold separately).



NON-ELECTRIC Models

Model # CENTREX1000NE Home Depot \$1689

The Sun-Mar Centrex 1000-NE is ideal for light to medium seasonal use. A one pint flush toilet is required for use with this unit (sold separately).

Model # CENTREX2000NE Home Depot \$1956

The Sun-Mar Centrex 2000-NE is designed for medium to heavy cottage or light residential use. A one pint flush toilet is required for use with this unit (sold separately).

Model # CENTREX3000NE Home Depot \$2185

The Sun-Mar Centrex 3000-NE is an extra-high capacity unit designed for very heavy cottage use or heavy residential use. A one pint flush toilet is required for use with this unit (sold separately).



SEALAND One Pint Low Flush Toilet

Maier Hardware Main Office - Thunder Bay 1-807-345-1491

Using about one pint per flush, these ultra low flush toilets provide all the advantages of a flush toilet while minimizing water usage. They are ideal for use with Sun-Mar Central Composting Systems, but can also be used with holding tanks, overloaded septic systems, and in RV's. A simple foot pedal flush opens the water valve and gate when pushed down, and fills the bowl with water when lifted. After flushing, a small amount of water is held in the toilet bowl which is sealed by a self-cleaning ball valve and teflon seal.



Sun-Mar Dry Composting Toilet

For Centrex 2000 AF and Centrex 3000 AF models. Home Depot \$409

This elegant Sun-Mar Dry Toilet is designed for use with the waterless Centrex A/F and Centrex A/F NE family of central composting systems. Available in either White or Bone, the Dry Toilet has a seat height of 15" and a regular sized toilet seat. The vent system on all A/F units continuously draws air down the toilet to prevent odors in the bathroom. However, if the toilet is too high above the composter for air to be drawn down, the Dry Toilet should be vented directly.

Self Contained Composting Toilets

Are waterless, and so require no connection for water or sewage. This makes installation very quick and easy! Are more suited to winter operation because it is often easier to keep the bathroom warm.



SunMar Spacesaver Electric Composting Toilet Lowe's Canada \$1547

The Sun-Mar Spacesaver is specifically designed for places where space is extremely limited. All Sun-Mar composting toilets incorporate a patented Bio-drum™ which ensures fast and odourless decomposition. To install, simply plug into a regular 110 V outlet and connect the supplied 2 inch vent stack. Uses no water - ANSI/NSF Standard 41 Certified & Listed



Sun-Mar Composting Non-Electric Toilet Lowe's Canada \$1497

The Sun-Mar® Excel-NE has long been the standard toilet for those living off the grid. Like all Sun-Mar® composting toilets the Excel-NE incorporates a patented Bio-drum™ which ensures fast and odourless decomposition. To install, simply connect the supplied 4" (10.16 cm) vent stack and security drain. Uses no water - ANSI/NSF Standard 41 Certified & Listed



Separett Villa 9210 Composting Toilet Lowe's Canada \$1545

Liquids and solids are separated in the bowl so that each can be disposed of individually. Solids are composted or incinerated, and urine is drained off to a small leaching bed, holding tank. The built-in fan expels odours from the toilet and bathroom quietly and effectively. The vent duct can be run behind the toilet straight through an outer wall or run up through the roof. The Villa 9210 includes both a 120V adaptor and a 12V power cable with alligator clips to connect directly to a 12V battery. No water required No septic required. Easy installation Unlimited capacity 5 years warranty, 3 years on fan motor.

NATURE'S HEAD

In Tandem International Inc.
Kingston, Ontario K7M 1P9
Phone: 416-709-1201
tjhawco@gmail.com



NATURE'S HEAD with Spider Handle Amazon \$1433

NATURE'S HEAD® requires no pump outs or holding tank. There is no clogging or odor associated with its use. The waterless, urine-separating design contributes to the extraordinary holding capacity of the head. The composting section will hold approximately 60-80 uses. For part time usage by 2 to 3 people, this likely represents an entire summer of usage without emptying. Full time users can expect 3 to 4 weeks capacity. The urine bottle, containing about 2.2 gallons, will require more frequent emptying (approximately every 2 to 5 days)

Unit arrives ready for installation requiring only external vent and sphagnum peat moss. Available with a Spider Handle (*as shown*) or Crank Handle

What is an Incinerating Toilet?

An incinerating toilet is a waterless toilet that quite literally incinerates human waste. They can run on electricity or fuels such as gas or propane and look much like a normal toilet. After use, you would need to press a button, which causes the liquid or solid waste to be carried to an enclosed chamber within the toilet. Here, a heating element will incinerate the waste so that all that remains is a small pile of sterile ash, which will need to be disposed of once the compartment gets full.

INCINOLET Electric Incinerating Toilet.. <http://www.incinolet.ca>

INCINOLET electric incinerating toilet incinerates all human waste immediately to clean, germ-free ash, as little as a tablespoonful each use. Raw waste is not accumulated and is not seen. Water is not used in this toilet and nothing is drained out. INCINOLET is easy to install and can be used in any climate.

CANADIAN Enquiries, Orders, Deliveries

We do not have online ordering so that we can provide one on one, personalized, real person customer service

Toll-free Telephone: 1-800-263-0379

Fax: (519) 938-9214

Email: incinolet@rogers.com



MODEL TR \$2,099.00 – \$2,219.00

Model TR, for home or cabin, workshop, barn or basement, will serve the needs of 6 people, full time. 240 volts, 3500 watts, 2 year warranty. (Must be installed on a 20 amp dedicated circuit)

Each toilet comes with 1 box of 200 liners.

Prices good for U.S. and Canada only. ALLOW 8 TO 10 WEEKS FOR

INCINERATING TOILETS Inc

Starting at \$5190



<https://incineratingtoilets.com/ca> or call 1-888-646-2664

The Cinderella Gas incineration toilet uses propane to burn biological waste at high temperatures (with no odour) and leaves only a small amount of ash. Perfect for locations with limited or no electricity. No plumbing or septic is required.

Every order includes free delivery within Canada, a 3 year warranty, and expert support from Incinerating Toilets Inc.

A ventilation kit is required to complete the installation according to the Canadian Gas Code specifications. Feel free to contact us if you need help deciding on how to best vent your Cinderella Gas toilet.

Power Requirements: Toilet requires 4 amps on start up and 1.3 amps during incineration to power the fan. Toilet requires only 0.005 amps while in standby (not incinerating) mode. This model is fitted with a 12V DC plug that can be connected to a small off-grid solar power system. A 120V AC power adaptor is available at an additional cost



TinyJohn Toilet \$3,385 plus \$400 shipping to Canada

No distribution in Canada – Call us at 1-866-326-5646

TinyJohn is a compact and sleek designed waterless self-contained gas fired toilet that incinerates the waste into a sterile ash that needs to be emptied periodically.

Models:

TJ-P12 - Propane, 12V DC

TJ-P120 - Propane, 120V AC/12V DC Dual (12V DC Backup Capability)

TJ-P240 - Propane, 240V AC/12V DC Dual (12V DC Backup Capability)

ECOJOHN - 6148 Getty Dr North Little Rock, AR 72117

Office Phone:

1-866-326-5646

1-501-833-0144

Sales Team / Product Question:

1-501-833-0155

Email: team@ecojohn.com